

Page : 1

Revised edition no : 3

Date : 8 / 9 / 2011

Supersedes: 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

In case of emergency: 0031-(0)30-2748888

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

• Trade name : BRISTOL - GLITTER

• Product code : Bristol - Iris Glitter 5060GL (Silver), 5061GL (Gold), 5022GL (Iris).

• **Description** : Water soluble top coat paint.

• Type of product : Paint.

• Identification of the product : Viscous liquid.

1.2. Relevant identified uses of the substance or mixture and uses advised against

• **Use** : Decorative, water-based effect-paint for interior use.

Domestic. Industrial.

• Authorised use : Roller application or brushing.

Non industrial spraying. Industrial spraying.

1.3. Details of the supplier of the safety data sheet

• Company identification : Bristol Coatings Holland

Stationsweg 13

2675 AM Honselersdijk NETHERLANDS

0031-(0)174-629006 www.bristolcoatingsholland.nl info@bristolcoatingsholland.nl

1.4. Emergency telephone number

• Emergency phone nr : 0031-(0)30-2748888 (24 hours, NVIC, only contactable at accidentele poisoning at

treating doctor)

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Not classified as dangerous product.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

• Symbol(s) : None.

• R Phrase(s) : Not classified as dangerous product.

• S Phrase(s) : Keep out of reach of children.

2.3. Other hazards

None under normal conditions.

SECTION 3 Composition/information on ingredients

| Components | : This product is not hazardous but contains hazardous components. | | | | | | |
|--|--|----------|------------|-----------|--------------|-------|--|
| Substance name | | Contents | CAS No | EC No | Annex No | REACH | Classification |
| 2-(2-butoxyethoxy)ethanol | : | 1 - 5 % | 112-34-5 | 203-961-6 | 603-096-00-8 | | Xi; R36 |
| Poly(oxy-1,2-ethandiyl)(Octadecan-1-ol, ethoxylated) | : | < 0.1 % | 9005-00-9 | 500-017-8 | | | Xi; R41 |
| A mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one [EC No 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC No 220-239- 6] (3:1) | : | < 0.01 % | 55965-84-9 | | 613-167-00-5 | | T; R23/24/25 C; R34 R43 N; R50-53 |

Bristol Coatings Holland

Stationsweg 13 2675 AM Honselersdijk NETHERLANDS 0031-(0)174-629006 www.bristolcoatingsholland.nl info@bristolcoatingsholland.nl



Page : 2

Revised edition no : 3

Date : 8 / 9 / 2011

Supersedes: 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

SECTION 4 First aid measures

4.1. Description of first aid measures

First aid measures

• General information : Seek medical attention if ill effect develops.

Never give anything by mouth to an unconscious person.

In case of loss of conscience place the victim in the recovery position.

Allow the victim to rest.

• Inhalation : Assure fresh air breathing.

Keep victim warm and rested.

If you feel unwell, seek medical advice (show the label where possible).

If not breathing, give artificial respiration.

• Skin contact : Wash skin with mild soap and water.

Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

• Eye contact : Rinse immediately with plenty of water.

Obtain medical attention if pain, blinking or redness persist.

• Ingestion : If swallowed, rinse mouth with water (only if the person is conscious).

Do not induce vomiting.

If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

If ingested, it can be aspirated into the lungs and cause chemical pneumonia. Give the appropriate treatment.

SECTION 5 Fire-fighting measures

5.1. Extinguishing media

• Suitable extinguishing media : All extinguishing media can be used.

• Unsuitable extinguishing media : Not applicable.

5.2. Special hazards arising from the substance or mixture

Specific hazards
 Hazardous combustion products
 Not established.
 Not established.

5.3. Advice for fire-fighters

• Flammable class : Not flammable.

• Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Prevention : Keep away from sources of ignition.

No smoking.

Special procedures
 Exercise caution when fighting any chemical fire.
 Surrounding fires
 Use water spray or fog for cooling exposed containers.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

• General precautions : No naked lights. No smoking.

• **Personal precautions** : When using, do not eat, drink or smoke.

• **Technical measures** : Remove ignition sources.

6.2. Environmental precautions

Bristol Coatings Holland

info@bristolcoatingsholland.nl

Stationsweg 13 2675 AM Honselersdijk NETHERLANDS 0031-(0)174-629006 www.bristolcoatingsholland.nl

In case of emergency: 0031-(0)30-2748888



Page : 3

Revised edition no : 3

Date : 8 / 9 / 2011

Supersedes: 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

SECTION 6 Accidental release measures (continued)

• Environmental precautions : Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

• Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.

Use suitable disposal containers.

• Special precautions : This product contains : Solvent.

6.4. Reference to other sections

Zie Rubriek 6.1

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Handling
 Wash hands and other exposed areas with mild soap and water before eat, drink or

smoke and when leaving work.

• Personal protection : Ensure prompt removal from eyes, skin and clothing.

• **Technical protective measures** : Provide adequate ventilation to minimize dust and/or vapour concentrations.

• **Precautions in handling and storage**: Both local exhaust and general room ventilation are usually required.

Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

• Storage : Keep out of reach of children.

Store in dry, well-ventilated area.

Protect from freezing.

Keep away from sources of ignition.

Keep away from food, drink and animal feeding stuffs.

Close container tightly after use.

• Storage life : At least 1 year if stored in a cool dry place in unopened, original packaging.

• Storage - away from : Strong acids.

Strong bases. Oxidizer.

Oxidiz

7.3. Specific end use(s)

• Specific end use(s) : Decorative, water-based effect-paint for interior use.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Personal protection



- Respiratory protection : No special respiratory protection equipment is recommended under normal

conditions of use with adequate ventilation.

Where excessive vapour, mist, or dust may result, use approved respiratory

In case of emergency: 0031-(0)30-2748888

protection equipment.

- **Skin protection** : Protective clothing not absolutely necessary.

- Eye protection : Chemical goggles or safety glasses.

- Hand protection : Not required.

- Ingestion : When using, do not eat, drink or smoke.

• Technical protective measures : Provide adequate ventilation to minimize dust and/or vapour concentrations.

• Industrial hygiene : Provide local exhaust or general room ventilation to minimize dust and/or vapour

concentrations.



Page: 4

Revised edition no: 3 Date: 8 / 9 / 2011

Supersedes: 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

SECTION 8 Exposure controls/personal protection (continued)

8.2. Occupational Exposure Limits

2-(2-butoxyethoxy)ethanol: ILV (EU) - 8 H - [mg/m³]: 67.5 2-(2-butoxyethoxy)ethanol: ILV (EU) - 15 min - [mg/m³]: 101.2

2-(2-butoxyethoxy)ethanol : ILV (EU) - 8 H - [ppm] : 10

2-(2-butoxyethoxy)ethanol : ILV (EU) - 15 min - [ppm] : 15 2-(2-butoxyethoxy)ethanol: NGV - [ppm]: 15 2-(2-butoxyethoxy)ethanol : NGV - [mg/m³] : 100

2-(2-butoxyethoxy)ethanol: KTV - [ppm]: 30 2-(2-butoxyethoxy)ethanol : KTV - [mg/m³] : 200 2-(2-butoxyethoxy)ethanol : VLA-ED [mg/m³] : 100

2-(2-butoxyethoxy)ethanol: MAK (AU) Tagesmittelwert (ml/m3): 15 2-(2-butoxyethoxy)ethanol : MAK (AU) Tagesmittelwert (mg/m³) : 100 2-(2-butoxyethoxy)ethanol : MAK (AU) Kurzzeitwerte (mg/m³) : 100 2-(2-butoxyethoxy)ethanol : MAK (AU) Kurzzeitwerte (ml/m³) : 15

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state at 20 °C

Colour : Silver, Gold, Iris Glitter

Odour

Odour : Characteristic.

Odour threshold

Odour threshold : Not established.

pH

pH value : Not established.

• Melting point / Freezing point

: Not established. Freezing point [°C] : Not established. Melting point [°C]

• Initial boiling point - boiling range

: Not established. Initial boiling point [°C] Final boiling point [°C] : Not established.

· Flash point

Flash point [°C] : Not established.

Evaporation rate

Evaporation rate (ether=1) : Not established.

Flammability

Flammability range [vol% in air] : Not established.

• Explosion limits (lower - upper)

Explosion limits - lower [%] : Not established. Explosion limits - upper [%] : Not established.

Vapour pressure

Vapour pressure [20°C] : Not established.

Vapour density

Bristol Coatings Holland



Page: 5

Revised edition no: 3 Date: 8 / 9 / 2011

Supersedes: 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

In case of emergency: 0031-(0)30-2748888

SECTION 9 Physical and chemical properties (continued)

Relative vapour density (air=1) : Not established.

Relative density

Density : 0,98-1,20 kg/l

Solubility

: Complete. Solubility in water

• Partition coefficient : n-octanol / water

Partition coefficient : n-octanol /

water

: Not established.

• Auto-ignition temperature

Auto-ignition temperature [°C] : Not established.

• Thermal decomposition

Decomposition point [°C] : Not established.

Viscosity

Viscosity : 65-80 KU

• Explosive Properties

Explosive Properties : Not established.

Oxidising properties

Oxidising properties : Not established.

9.2. Other information

Other data : None under normal conditions.

SECTION 10 Stability and reactivity

10.1. Reactivity

: Stable under normal conditions. Reactivity

10.2. Chemical stability

 Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

 Hazardous reactions : Not established. Hazardous properties : Not established.

10.4. Conditions to avoid

· Conditions to avoid : Overheating. Freezing.

10.5. Incompatible materials

 Materials to avoid : Strong acids.

Strong bases. Oxidizer.

10.6. Hazardous decomposition products

• Hazardous decomposition products : None under normal conditions.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Bristol Coatings Holland



Page : 6

Revised edition no : 3

Date : 8 / 9 / 2011

Supersedes : 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

SECTION 11 Toxicological information (continued)

• On product : This product is not hazardous but contains hazardous components.

Acute toxicity : Not established.
 Dermal : Not established.
 Ocular : Not established.
 Ingestion : Not established.
 Sensitization : Not established.

SECTION 12 Ecological information

12.1. Toxicity

• Toxicity : Not established.

12.2. Persistence - degradability

• Persistence - degradability : Not established.

12.3. Bioaccumulative potential

• Bioaccumulative potential : Not established.

12.4. Mobility in soil

• Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

: Not established.

12.6. Other adverse effects

• Other adverse effects : Avoid release to the environment.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

• **General** : Avoid release to the environment.

Dispose of this material and its container at hazardous or special waste collection

In case of emergency: 0031-(0)30-2748888

point.

SECTION 14 Transport information

14.1. UN Number

UN No. : Not regulated.

14.2. Proper shipping name

Proper shipping name : Not regulated.

14.3. Transport Hazard Classification

Land transport

ADR/RID : Not regulated.
H.I. nr : Not regulated.
- ADR Class : Not regulated.
- ADR/RID Classification code : Not regulated.
- ADR Packing group : Not regulated.

14.4. Packing group

Bristol Coatings Holland

Stationsweg 13 2675 AM Honselersdijk NETHERLANDS 0031-(0)174-629006 www.bristolcoatingsholland.nl info@bristolcoatingsholland.nl



Page : 7

Revised edition no : 3

Date : 8 / 9 / 2011

Supersedes : 6 / 9 / 2010

BRISTOL - GLITTER

4011000000

SECTION 14 Transport information (continued)

- ADR Packing group : Not regulated.

14.5. Environmental hazards

Environmental hazards : Not regulated.

14.6. Special precautions for user

Personal precautions : The driver shall not attempt to deal with any fire of the load.

Emergency action in case of accident: Stop the engine.

14.7. Bulk transport - annex II Marpol 73/78 - IBC

Bulk transport - annex II Marpol 73/78: Not regulated.

- IBC

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ensure all national/local regulations are observed.

• Symbol(s) : None.

• R Phrase(s) : None.

• S Phrase(s) : None.

• VOC g/l : EU limit value for this product(cat.A/a): 30 g/l (2010) This product contains max 30

g/I VOC

15.2. Chemical Safety Assessment

No Chemical Safety Assessment available.

SECTION 16 Other information

• Sources of key data used : Safety Data Sheets of the ingredients.

• European Communities : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006.

Directive 2006/121/EC of the European Parliament and of the Council of 18

December 2006.

• Other information : The classification and labeling ring are determined in accordance with EU

directives 67/548/EEC and 99/45/EC, including amendments (2001/60/EC and

2006/8/EC).

This safety data sheet has been drawn up in accordance with the EC Regulation n°

1907/2006/EC (REACH) Annex II.

The product meets the VOC paints directive 2004/42/EC

The contents and format of this SDS are in accordance with REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

End of document

In case of emergency: 0031-(0)30-2748888

Bristol Coatings Holland