

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

- Trade name : BRISTOL - STANDTEX OPTIC GREEN 2013
- Product code : OPRIC GREEN 2013
- Description : Water soluble, air drying wall paint for indoor use.
- Type of product : Paint.
- Identification of the product : Viscous liquid.

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Use : Decorative wall-paint for interiors.
Domestic.
Industrial.
- Authorised use : Roller application or brushing.
Non industrial spraying.
Industrial spraying.

1.3. Details of the supplier of the safety data sheet

- Company identification : Bristol Coatings Holland
Stationsweg 13
2675 AM Honselersdijk NETHERLANDS
0031-(0)174-629006
www.bristolcoatingsholland.nl
info@bristolcoatingsholland.nl

1.4. Emergency telephone number

- Emergency phone nr : 0031-(0)30-2748888 (24 hours, NVIC, only contactable at accidentele poisoning at treating doctor)

SECTION 2 Hazards identification

2.1. Classification of the substance or mixtureClassification EC 67/548 or EC 1999/45

- Classification : Not classified as dangerous product.

2.2. Label elementsLabelling EC 67/548 or EC 1999/45

- Symbol(s) : None.
- R Phrase(s) : Not classified as dangerous product.
- S Phrase(s) : Keep out of reach of children.

2.3. Other hazards

None under normal conditions.

SECTION 3 Composition/information on ingredients

- Components : This product is not hazardous but contains hazardous components.

Substance name	Contents	CAS No	EC No	Annex No	REACH	Classification
Ethanediol	: 1 - 5 %	107-21-1	203-473-3	603-027-00-1	-----	Xn; R22
2-amino-2-methylpropanol	: 1 - 5 %	124-68-5	204-709-8	603-070-00-6	-----	Xi; R36/38 R52-53
2-(2-butoxyethoxy)ethanol	: < 1 %	112-34-5	203-961-6	603-096-00-8	-----	Xi; R36

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 3 Composition/information on ingredients (continued)

Substance name	Contents	CAS No	EC No	Annex No	REACH	Classification
Nonylphenol	< 1 %	68412-54-4	-----	-----	-----	Xn; R22 Xi; R41 N; R51-53
Benzeensulfonzuur	< 1 %	68411-31-4	270-116-6	-----	-----	Xi; R38-41
A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	< 0.01 %	55965-84-9	-----	613-167-00-5	-----	T; R23/24/25 C; R34 R43 N; R50-53

SECTION 4 First aid measures

4.1. Description of first aid measures

First aid measures

- General information : Never give anything by mouth to an unconscious person.
In case of loss of conscience place the victim in the recovery position.
Allow the victim to rest.
Seek medical attention if ill effect develops.
- Inhalation : Assure fresh air breathing.
Keep victim warm and rested.
If you feel unwell, seek medical advice (show the label where possible).
If not breathing, give artificial respiration.
- Skin contact : Wash skin with mild soap and water.
Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- Eye contact : Rinse immediately with plenty of water.
Obtain medical attention if pain, blinking or redness persist.
- Ingestion : If swallowed, rinse mouth with water (only if the person is conscious).
Do not induce vomiting.
If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

If ingested, it can be aspirated into the lungs and cause chemical pneumonia. Give the appropriate treatment.

SECTION 5 Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media can be used.
- Unsuitable extinguishing media : Not applicable.

5.2. Special hazards arising from the substance or mixture

- Specific hazards : Not established.
- Hazardous combustion products : Not established.

5.3. Advice for fire-fighters

- Flammable class : Not flammable.
- Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
- Prevention : Keep away from sources of ignition.
No smoking.

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 5 Fire-fighting measures (continued)

- Special procedures : Exercise caution when fighting any chemical fire.
- Surrounding fires : Use water spray or fog for cooling exposed containers.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General precautions : No naked lights. No smoking.
- Personal precautions : When using, do not eat, drink or smoke.
- Technical measures : Remove ignition sources.

6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.
Use suitable disposal containers.
- Special precautions : This product contains : Solvent.

6.4. Reference to other sections

Zie Rubriek 6.1

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.
- Personal protection : Ensure prompt removal from eyes, skin and clothing.
- Technical protective measures : Provide adequate ventilation to minimize dust and/or vapour concentrations.
- Precautions in handling and storage : Both local exhaust and general room ventilation are usually required.
Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep out of reach of children.
Store in dry, well-ventilated area.
Protect from freezing.
Keep away from sources of ignition.
Keep away from food, drink and animal feeding stuffs.
Close container tightly after use.
- Storage life : At least 1 year if stored in a cool dry place in unopened, original packaging.
- Storage - away from : Strong acids.
Oxidizer.
Strong bases.

7.3. Specific end use(s)

- Specific end use(s) : Decorative wall-paint for interiors.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

- Personal protection

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 8 Exposure controls/personal protection (continued)

- Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.
Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
- Skin protection : Protective clothing not absolutely necessary.
- Eye protection : Chemical goggles or safety glasses.
- Hand protection : Not required.
- Ingestion : When using, do not eat, drink or smoke.
- Technical protective measures : Provide adequate ventilation to minimize dust and/or vapour concentrations.
- Industrial hygiene : Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

8.2. Occupational Exposure Limits

Ethanediol : TLV[©] -TWA [mg/m³] : 127
Ethanediol : ILV (EU) - 8 H - [mg/m³] : (52 Skin.)
Ethanediol : ILV (EU) - 8 H - [ppm] : (20 Skin.)
Ethanediol : ILV (EU) - 15 min - [mg/m³] : (104 Skin.)
Ethanediol : ILV (EU) - 15 min - [ppm] : (40 Skin.)
Ethanediol : HTP-värden - 8 H - [ppm] : 20
Ethanediol : HTP-värden - 15min - [ppm] : 40
Ethanediol : HTP-värden - 8 H - [mg/m³] : 50
Ethanediol : HTP-värden - 15min - [mg/m³] : 100
Ethanediol : NGV - [ppm] : 10
Ethanediol : NGV - [mg/m³] : 25
Ethanediol : KTV - [ppm] : 20
Ethanediol : KTV - [mg/m³] : 50
Ethanediol : VLA-ED [ppm] : 20
Ethanediol : VLA-ED [mg/m³] : 52
Ethanediol : VLA-EC [ppm] : 40
Ethanediol : VLA-EC [mg/m³] : 104
Ethanediol : MAK (AU) Tagesmittelwert (ml/m³) : 10
Ethanediol : MAK (AU) Kurzzeitwerte (mg/m³) : 52
Ethanediol : MAK (AU) Tagesmittelwert (mg/m³) : 26
Ethanediol : MAK (AU) Kurzzeitwerte (ml/m³) : 20
2-(2-butoxyethoxy)ethanol : ILV (EU) - 8 H - [mg/m³] : 67.5
2-(2-butoxyethoxy)ethanol : ILV (EU) - 15 min - [mg/m³] : 101.2
2-(2-butoxyethoxy)ethanol : ILV (EU) - 8 H - [ppm] : 10
2-(2-butoxyethoxy)ethanol : ILV (EU) - 15 min - [ppm] : 15
2-(2-butoxyethoxy)ethanol : NGV - [ppm] : 15
2-(2-butoxyethoxy)ethanol : NGV - [mg/m³] : 100
2-(2-butoxyethoxy)ethanol : KTV - [ppm] : 30
2-(2-butoxyethoxy)ethanol : KTV - [mg/m³] : 200
2-(2-butoxyethoxy)ethanol : VLA-ED [mg/m³] : 100
2-(2-butoxyethoxy)ethanol : MAK (AU) Tagesmittelwert (ml/m³) : 15
2-(2-butoxyethoxy)ethanol : MAK (AU) Tagesmittelwert (mg/m³) : 100
2-(2-butoxyethoxy)ethanol : MAK (AU) Kurzzeitwerte (mg/m³) : 100
2-(2-butoxyethoxy)ethanol : MAK (AU) Kurzzeitwerte (ml/m³) : 15

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties**•Appearance**

- Physical state at 20 °C : Viscous liquid.
- Colour : Fluorescent

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 9 Physical and chemical properties (continued)

•Odour

Odour : Characteristic.

•Odour threshold

Odour threshold : Not established.

•pH

pH value : Not established.

•Melting point /Freezing point

Freezing point [°C] : Not established.

Melting point [°C] : Not established.

•Initial boilingpoint -boilingrange

Initial boiling point [°C] : Not established.

Final boiling point [°C] : Not established.

•Flashpoint

Flash point [°C] : Not established.

•Evaporationrate

Evaporation rate (ether=1) : Not established.

•Flammability

Flammability range [vol% in air] : Not established.

•Explosionlimits (lower -upper)

Explosion limits - lower [%] : Not established.

Explosion limits - upper [%] : Not established.

•Vapour pressure

Vapour pressure [20°C] : Not established.

•Vapour density

Relative vapour density (air=1) : Not established.

•Relative density

Density : 1,18-1,68 kg/l

•Solubility

Solubility in water : Complete.

•Partitioncoefficient:n-octanol/water

Partition coefficient : n-octanol / water : Not established.

•Auto-ignitiontemperature

Auto-ignition temperature [°C] : Not established.

•Thermal decomposition

Decomposition point [°C] : Not established.

•Viscosity

Viscosity : 100-140 KU

•ExplosiveProperties

Explosive Properties : Not established.

•Oxidisingproperties

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 9 Physical and chemical properties (continued)

Oxidising properties : Not established.

9.2. Other information

Other data : None under normal conditions.

SECTION 10 Stability and reactivity**10.1. Reactivity**

• Reactivity : Stable under normal conditions.

10.2. Chemical stability

• Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

• Hazardous reactions : Not established.

• Hazardous properties : Not established.

10.4. Conditions to avoid• Conditions to avoid : Overheating.
Freezing.**10.5. Incompatible materials**• Materials to avoid : Strong acids.
Strong bases.
Oxidizer.**10.6. Hazardous decomposition products**

• Hazardous decomposition products : None under normal conditions.

SECTION 11 Toxicological information**11.1. Information on toxicological effects**

- On product : This product is not hazardous but contains hazardous components.
- Acute toxicity : Not established.
- Dermal : Not established.
- Ocular : Not established.
- Ingestion : Not established.
- Sensitization : Not established.

SECTION 12 Ecological information**12.1. Toxicity**

• Toxicity : Not established.

12.2. Persistence-degradability

• Persistence - degradability : Not established.

12.3. Bioaccumulative potential

• Bioaccumulative potential : Not established.

12.4. Mobility in soil

• Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 12 Ecological information (continued)

• Results of PBT and vPvB assessment : Not established.

12.6. Other adverse effects

• Other adverse effects : Avoid release to the environment.

SECTION 13 Disposal considerations**13.1. Wastetreatment methods**

• General : Avoid release to the environment.
Dispose of this material and its container at hazardous or special waste collection point.

SECTION 14 Transport information**14.1. UNNumber**

UN No. : Not regulated.

14.2. Proper shippingname

Proper shipping name : Not regulated.

14.3. TransportHazardClassification

Land transport

ADR/RID : Not regulated.

H.I. nr : Not regulated.

- ADR Class : Not regulated.

- ADR/RID Classification code : Not regulated.

- ADR Packing group : Not regulated.

14.4. Packing group

- ADR Packing group : Not regulated.

14.5. Environmentalhazards

Environmental hazards : Not regulated.

14.6. Special precautionsforuser

Personal precautions : The driver shall not attempt to deal with any fire of the load.

Emergency action in case of accident : Stop the engine.

14.7. Bulk transport-annexII Marpol 73/78-IBC

Bulk transport - annex II Marpol 73/78 : Not regulated.

- IBC

SECTION 15 Regulatory information**15.1. Safety, health and environmental regulations/legislations specific for the substance or mixture**

Ensure all national/local regulations are observed.

• Symbol(s) : None.

• R Phrase(s) : None.

• S Phrase(s) : S2 : Keep out of the reach of children.

• VOC g/l : EU limit value for this product (cat. A/a): 30 g/l (2010) This product contains max 30 g/l VOC.



SAFETY DATA SHEET

Page : 8

Revised edition no : 4

Date : 19 / 9 / 2011

Supersedes : 6 / 9 / 2010

BRISTOL - STANDTEX OPTIC GREEN 2013

4006200000

SECTION 15 Regulatory information (continued)**15.2. Chemical Safety Assessment**

No Chemical Safety Assessment available.

SECTION 16 Other information

- Sources of key data used : Safety Data Sheets of the ingredients.
- European Communities : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006.
Directive 2006/121/EC of the European Parliament and of the Council of 18 December 2006.
- Other information : The classification and labeling ring are determined in accordance with EU directives 67/548/EEC and 99/45/EC, including amendments (2001/60/EC and 2006/8/EC).
This safety data sheet has been drawn up in accordance with the EC Regulation n° 1907/2006/EC (REACH) Annex II.
The product meets the VOC paints directive 2004/42/EC

The contents and format of this SDS are in accordance with REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

End of document